

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(discharge near2 lamp) and ((first or second) near3 frequency) and (((burn\$3 near3 voltage) with ((\$3determin\$3 or limit\$3 or \$3select\$3) near3 (value or voltage)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 06:29
S2	129	(discharge near2 lamp) and ((first or second) near3 frequency) and (((burn\$3 or start\$3 or ignit\$3) near3 voltage) with ((\$3determin\$3 or limit\$3 or \$3select\$3) near3 (value or voltage)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 06:31
S3	94	S2 and @AD< "20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 06:32
S4	52	S3 and electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 06:34
S5	13	S4 and ((first or second) near3 (operat\$3 near3 frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 06:38
S6	134	(discharge adj lamp) and ((first or second) near3 (operat\$3 near3 frequency)) and hz	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 09:11
S7	101	S6 and @AD< "20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 09:12

9/30/2008 11:13:29 AM

C:\Documents and Settings\tle16\My Documents\EAST\Workspaces\10596474.wsp